

ORNAMENT
MARBLE
CEMENT
STONE
WOOD
OPUS
■
CAPRI



PADUA
REDEFINE
PERFECTION

Rev.01

ORNAMENT
MARBLE
CEMENT
STONE
WOOD
OPUS
-
CAPRI



STONE

“

Harmonious, meticulously detailed surfaces with impressive technical and aesthetic properties: PADUA designs floor and wall coverings, not tiles.

”




CAPRI

CAPRI came to life after a long search and after many attempts to mix three stones of different nature. In the end we managed to find the right mix: the Italian Collemandina marble, the French Imperiale marble and the slate from the Trentino-Alto-Adige Alps.

THICKNESS 2

— ±10mm — ±20mm

FORMATS 4



The company's mastery of production processes and extensive research and development take its products beyond all expectations, towards an aesthetic ideal that is always up-to-date, realized in collections that defy fashion, synonymous with beauty that continues to express itself over time.

COLOURS 5



GLACIER



SALT



NUTMEG



EARL GREY



PEPPER

SURFACES 2



IN&OUT
MATT



LAPPATO

“ CAPRI **GLACIER**



PD9190
▲ 90x90CM | 36" x 36"



TUMBLED EDGE MOSAIC
CPSM90
29.8x32.7CM



TUMBLED EDGE SUBWAY
CP1290
10 x 20CM



PD36190
▲ 30x60CM | 12" x 24"
PD126190
◀ 60x120CM | 24" x 48"
PD6190
▼ 60x60CM | 24" x 24"



2CM PAVER **Pencil Edge Bullnose**



PD6190H
▲ 60x60CM | 24" x 24"
■ 2cm
CPPB90
▲ 40x60CM | 16" x 24"
■ 2cm





WALL: TUMBLED EDGE SUBWAY CP1290 10 x 20CM



FLOOR: GLACIER PD6190 30 x 60CM 60 x 60CM



“ CAPRI **SALT**



- PD36191**
▲ 30 x 60CM | 12" x 24"
PD126191
◀ 60 x 120CM | 24" x 48"
PD6191
▼ 60 x 60CM | 24" x 24"



- PD9191**
▲ 90 x 90CM | 36" x 36"



TUMBLED EDGE MOSAIC
CPSM91
29.8 x 32.7CM



TUMBLED EDGE SUBWAY
CP1291
10 x 20CM



2CM PAVER
Pencil Edge Bullnose
PD6191H
▲ 60 x 60CM | 24" x 24"
■ 2cm
CPPB91
▲ 40 x 60CM | 16" x 24"
■ 2cm





FLOOR: SALT PD6191 60 X 60CM




FLOOR: SALT PD126191 60 X 120CM



WALL: TUMBLED EDGE MOSAIC 29.8 X 32.7CM FLOOR: SALT PD9191 90 X 90CM

“
CAPRI
SALT



WALL: TUMBLED EDGE SUBWAY CP1291 10 X 20CM



“
**CAPRI
NUTMEG**




PD36192
▲ 30 x 60CM | 12" x 24"



PD126192
◀ 60 x 120CM | 24" x 48"

PD6192
▼ 60 x 60CM | 24" x 24"



PD9192
▲ 90 x 90CM | 36" x 36"



TUMBLED EDGE MOSAIC
CPSM92
29.8 x 32.7CM




2CM PAVER
PD6192H
▲ 60 x 60CM | 24" x 24"
■ 2cm



Pencil Edge Bullnose
CPPB92
▲ 40 x 60CM | 16" x 24"
■ 2cm

“
CAPRI
NUTMEG



FLOOR: TUMBLED EDGE MOSAIC CPSM92 29.8 X 32.7CM



WALL/FLOOR: NUTMEG PD126192 60 X 120CM



FLOOR: NUTMEG PD9192 90 X 90CM



WALL: TUMBLED EDGE SUBWAY CP1292 10 X 20CM FLOOR: NUTMEG PD6192 60 X 60CM

“
CAPRI
EARL GREY



PD9193
▲ 90x90CM | 36" x 36"



TUMBLED EDGE MOSAIC
CPSM93
29.8 x 32.7CM



TUMBLED EDGE SUBWAY
CP1293
10 x 20CM




PD36193
▲ 30x60CM | 12" x 24"
PD126193
◀ 60x120CM | 24" x 48"
PD6193
▼ 60x60CM | 24" x 24"



2CM PAVER
PD6193H
▲ 60x60CM | 24" x 24"
■ 2cm

Pencil Edge Bullnose
CPPB93
▲ 40x60CM | 16" x 24"
■ 2cm





WALL: TUMBLED EDGE MOSAIC CPSM93 29.8 X 32.7CM

FLOOR: EARL GREY PD126193 60 X 120CM



Lappato

FLOOR: EARL GREY PD6193P 60 X 60CM



WALL: EARL GREY PD36193 30 X 60CM

Slate is the strong and gritty component, an iconic and layered stone that we used to form the basis of the project. To enrich the design we have integrated the defined and elegant veins of the Collemandina in the foreground and later the complex and elaborate grid of the fine veins of the Imperiale.




WALL/FLOOR: EARL GREY PD126193 60 X 120CM



FLOOR: TUMBLED EDGE SUBWAY CP1293 10 X 20CM



FLOOR: EARL GREY PD9193 90 X 90CM



“
**CAPRI
PEPPER**





WALL/FLOOR: PEPPER PD126199 60 X 120CM




FLOOR: PEPPER PD126199 60 X 120CM



WALL: TUMBLED EDGE SUBWAY CP1299 10 X 20CM

“
CAPRI
PEPPER






PAV2R
OUTDOOR MATERIALS BY PADUA CERAMICS

“**CAPRI
OUTDOOR**

Padua Ceramics builds on its many years of expertise in the field of research and production of ceramic materials, and constant interaction with architects, designers and consumers, offering them a mature and stable coating technology with innovative and highly advanced features.



FLOOR: GLACIER PD6190H 60 X 60 X 2CM PAVER




Pencil Edge Bullnose
40x60cm
2cm



FLOOR: SALT PD6191H 60 X 60 X 2CM PAVER



FLOOR: NUTMEG PD6192H 60X60X2CM PAVER



FLOOR: NUTMEG PD6192H 60X60X2CM PAVER


PAV2R
OUTDOOR MATERIALS BY PADUA CERAMICS



PAVER
OUTDOOR MATERIALS BY PADUA CERAMICS



CPPB93
▲ 40 x 60CM | 16" x 24"
■ 2cm



FLOOR: EARL GREY PD6193H 60 X 60 X 2CM PAVER



FLOOR: EARL GREY PD6193H 60 X 60 X 2CM PAVER



FLOOR: PEPPER PD6199H 60 X 60 X 2CM PAVER

TECHNICAL SPECIFICATIONS

TECHNICAL CHARACTERISTIC	STANDARD TEST METHOD	PREScribed VALUES	PADUA VALUES
MEASUREMENT & SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.5%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1300N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm ²	≥35N/mm ²
RESISTANCE TO ABRASION	EN ISO 10545-7	≤205mm ³	≤160mm ³
SLIP RESISTANCE, WET PENDULUM TEST METHOD, SLIDER 96	AS 4586-2013/AMDT 1-2017 APPENDIX A	N/A	P4
CHEMICAL PROPERTIES			
RESISTANCE TO CHEMICALS RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	MINIMUM GB	PASS
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	MINIMUM CLASS 3	PASS

PACKING SPECIFICATIONS

SERIES	SIZES	PCS / CTN	M ² / CTN	M ² / PLT	CTN / PLT	KG / PLT
CAPRI	60X120CM	2	1.44	86.4	60	2070
	90X90CM	2	1.62	64.8	40	1520
	60X60CM	4	1.44	57.6	40	1240
	30X60CM	8	1.44	57.6	40	1240
	30X30CM	11	0.99	55.44	56	1232
	60X60X2CM	2	0.72	28.8	40	1280
	40X60X2CM	2	0.48	30.72	60	1440



“
There is no denying the grandeur of stone.
Be inspired by our collection of stone designs,
exclusively created to bring elegance and
beauty to your home.”
”



11TH FLOOR, BLDG T13, SMART CITY, NO.1 ZHIHUI RD.,
CHANCHENG FOSHAN, GUANGDONG, CHINA.

+86 757 8256 5826
www.paduaceramics.com